

## How Can You Use Streamflow Data in Watershed Management?

Daily streamflow data are particularly useful for watershed science and management applications.

Analyzing daily streamflow data can lead to understanding basic hydrologic aspects of the watershed in question.

The [United States Geological Survey](https://www.usgs.gov/) (USGS) provides streamflow data from thousands of stream gages across the country through their [National Water Information System](https://waterdata.usgs.gov/nwis/) website. Examples of available streamflow data are:



1. **Real-time data:** data, from automated equipment, representing the most current hydrologic conditions. Measurements are commonly recorded at 5-60 minute intervals, depending on the gage type, and transmitted to the National Water Information System database every 1-4 hours.
2. **Daily data:** daily values for each day for the period of record and may represent the daily mean, median, maximum, minimum, and/or other derived value.
3. **Daily, Monthly, or Annual Statistics:** provides streamflow discharge statistics based on the time period specified.
4. **Peak streamflow:** the maximum instantaneous discharge of a stream. It usually occurs at or near the time of maximum stage depending on the individual gage's recording interval.

Other information available for each stream gage is its: position, in latitude and longitude, county, state, hydrologic unit code, drainage area, and elevation. Field measurements of the stream along with water quality sample data may also exist.

### Gathering Streamflow Data

The following procedure details how to obtain mean daily streamflow data from a stream gage in order to create a streamflow hydrograph. A streamflow hydrograph is the graphical relationship of streamflow discharge plotted against time.

1. Go to the USGS Real-Time Water Data for the Nation website, <http://waterdata.usgs.gov/nwis/rt>, and navigate to your particular state.

The USGS Real-Time Water Data website only shows stream gage stations currently in use. Offline stations and their associated data are also available by querying the database.

2. In the **Data Category** pull down (Figure 1) in the upper right corner select **Site Information**. Click **GO**.

The screenshot shows the USGS Real-Time Water Data web interface for Massachusetts. At the top, there is a header with the USGS logo and navigation links. Below the header, there is a search bar with a 'Data Category' pull-down menu set to 'Real-time' and a 'Geographic Area' pull-down menu set to 'Massachusetts'. A red arrow points to the 'Data Category' pull-down menu with the label 'Data Category pull down'. Below the search bar, there is a section for 'Daily Streamflow Conditions' with a map of Massachusetts showing streamflow conditions. To the right of the map, there is a 'Statewide Streamflow Table' section with a description of real-time data and a table with options to 'Build Table' and 'Build Sequence'.

Figure 1. The USGS Real-Time Water Data web interface for Massachusetts.

3. Click on the **Site information** button.

4. Check any of the boxes under the Site Location, Site Identifier, or Site Attribute headings that best describes a location, name, number, or data type of the stream gage that you are most interested in. Click on the **Submit** button.

5. Depending on your choices you will be asked to narrow your search. Once you have selected a particular stream gage you will arrive at its main information page (Figure 2). Here you will find information on its location, description and what types of data are available and how long a record exists for each record type. Care should be taken in deciding on which streamflow gage to use. It should be based on the number of years of record, proximity to your particular site, and having a comparable land use, of its drainage area, to your watershed.

6. Click on **Daily Statistics** on the stream gage's main information page. The daily statistics page will show the period of approved daily-mean data available from the stream gage (Figure 3). Check the box under the stream gage's heading to enable a table of the mean daily streamflow to be produced. Set the particular dates that you are most interested in. Beginning from October 1<sup>st</sup> and ending on September 30<sup>th</sup> is a typical sequence for processing streamflow and other hydrological data. Start with the first available October 1<sup>st</sup> date and end with the last available September 30<sup>th</sup> date to maximize the use of the streamflow data. The mean of the daily mean streamflow values is the default table value.

## USGS 01174500 EAST BRANCH SWIFT RIVER NEAR HARDWICK, MA

Available data for this site
SUMMARY OF ALL AVAILABLE DATA ▼
GO

**Stream/River Site**

**LOCATION**  
 Latitude 42°23'36", Longitude 72°14'21" NAD27  
 Worcester County, Massachusetts , Hydrologic Unit 01080204

**DESCRIPTION**  
 Drainage area: 43.7 square miles  
 Contributing drainage area: 43.7 square miles,  
 Datum of gage: 504.70 feet above sea level NGVD29.

**AVAILABLE DATA:**

Data Type	Begin Date	End Date	Count
<a href="#">Real-time</a>	<b>This is a real-time site</b>		
<a href="#">Daily Data</a>			
Discharge, cubic feet per second	1937-01-01	2008-05-29	26081
<a href="#">Daily Statistics</a>			
Discharge, cubic feet per second	1937-01-01	2006-09-30	25475
<a href="#">Monthly Statistics</a>			
Discharge, cubic feet per second	1937-01	2006-09	
<a href="#">Annual Statistics</a>			
Discharge, cubic feet per second	1937	2006	
<a href="#">Peak streamflow</a>	1937-04-07	2005-10-15	70
<a href="#">Field measurements</a>	1937-04-23	2007-04-20	23
<a href="#">Field/Lab water-quality samples</a>	1956-12-17	1989-06-13	132

**OPERATION:**  
 Record for this site is maintained by the USGS Massachusetts Water Science Center  
 Email questions about this site to [Massachusetts Water-Data Inquiries](#)

Figure 2. USGS 01174500 East Branch Swift River stream gage.

7. Click on **Submit** to view a table of the time sequence. The result is the mean of all the daily mean streamflow values for your particular time interval. The results can be highlighted and copied directly into an Excel spreadsheet for further processing. Once copied into Excel, each value should be in its own cell.

8. Arrange the data in a column starting with the October 1<sup>st</sup> value and ending with the Sept 30<sup>th</sup> value.

Check one or more boxes to select sites/parameters for further display--below

**USGS 01174500 EAST BRANCH SWIFT RIVER NEAR HARDWICK, MA**

	Parameter Code	Parameter Name	Period of Approved Daily-Mean Data		
			From	To	Count
<input checked="" type="checkbox"/>	00060	Discharge, cubic feet per second	1937-01-01	2006-09-30	25475

**Choose Output Format**

**Retrieve USGS Surface-Water Daily Statistics for Selected Sites**  
Choose one of the following options for displaying data for the sites meeting the criteria above:

Date range for statistics calculation of all selected parameters -- From: 1937-10-01 (YYYY-MM-DD) To: 2006-09-30 <<If blank, use entire period of record for each parameter.

Table of Mean of daily mean value for each day

Tab-separated data YYYY-MM-DD Save to file \*

\* Save compressed files with a .gz file extension.

Submit Reset Help

Figure 3. USGS 01174500 East Branch Swift River stream gage Daily Statistics.

9. Converting streamflow data to millimeters per day enables the data to be directly comparable with other data sources, such as precipitation. To convert the streamflow data values of cubic feet per second to millimeters per day involves a conversion. From the streamflow gage's website you will find its drainage area (Figure 2). This number will be used in the conversion. For the east branch Swift River stream gage the drainage area is 43.7 square miles. The conversion is as follows:

A. First convert the drainage area to square feet:

$$43.7 \text{ miles}^2 \times \frac{27,878,400 \text{ ft}^2}{1 \text{ mile}^2} = 1,218,286,080 \text{ ft}^2$$

B. Convert cubic feet per second to cubic feet per day:

$$\frac{1 \text{ ft}^3}{1 \text{ second}} \times \frac{60 \text{ seconds}}{1 \text{ minute}} \times \frac{60 \text{ minutes}}{1 \text{ hour}} \times \frac{24 \text{ hours}}{1 \text{ day}} = \frac{86,400 \text{ ft}^3}{\text{day}}$$

C. Combine above conversions:

$$\frac{86,400 \text{ ft}^3}{\text{day}} \div \frac{1,218,286,080 \text{ ft}^2}{\text{day}} = \frac{0.000070919 \text{ ft}}{\text{day}}$$

$$\frac{0.000070919 \text{ ft}}{\text{day}} \times \frac{12 \text{ in}}{1 \text{ ft}} \times \frac{25.4 \text{ mm}}{1 \text{ in}} = \frac{0.0216 \text{ mm}}{\text{day}}$$

conversion factor for the east branch Swift River stream gage is:  $\frac{1 \text{ ft}^3}{\text{second}} = \frac{0.0216 \text{ mm}}{\text{day}}$

10. Multiply the cubic feet per second values, in the Excel spreadsheet, by the conversion factor.
11. Plot the daily mean streamflow in millimeters per day, y axis, by the days of the year, x axis, starting with October 1 (Figure 4).



Figure 4. Mean Daily Streamflow for 69 years for the East Branch Swift River.

The above hydrograph displays the natural cyclical relationship between streamflow and time of year. Due to snowmelt in the Northeast, streamflow is typically at its peak in the spring. In contrast, in the summer due to it being the peak of the growing season, streamflow is at its lowest.

Streamflow data can be used in a variety of watershed management applications: estimating the probability of occurrence of floods, frequency analysis-see Box 4 in the WFMIS User's Guide; sizing reservoirs storage capacities; allocating water supplies; computing total maximum daily load levels (TMDL); understanding timing and magnitude of flows for fish migration and spawning; and determining a stream crossing's hydraulic capacity-see section 5 of the WFMIS User's Guide.

### For Further Reading

[From the River to You: USGS Real-Time Streamflow Information. pdf](#)  
[Benefits of USGS Streamgaging Program: Users and Uses of USGS Streamflow Data.pdf](#)

**Web Resources**

National Streamflow Information Program (NSIP)

<http://water.usgs.gov/nsip/reports.html>

Water Resources of the United States

<http://water.usgs.gov/>

Version 1  
June, 2008